

Deploying a New Cluster

Creating a cluster is a foundational step when deploying services in Elestio. Clusters provide isolated environments where you can run containerized workloads, databases, and applications. Elestio's web dashboard helps the process, allowing you to configure compute resources, choose cloud providers, and define deployment regions without writing infrastructure code. This guide walks through the steps required to create a new cluster using the Elestio dashboard.

Prerequisites

To get started, you'll need an active Elestio account. If you're planning to use your own infrastructure, make sure you have valid credentials for your preferred cloud provider (like AWS, GCP, Azure, etc.). Alternatively, you can choose to deploy clusters using Elestio-managed infrastructure, which requires no external configuration.

Creating a Cluster

Once you're logged into the Elestio dashboard, navigate to the **Clusters** section from the sidebar. You'll see an option to **Create a new cluster**—clicking this will start the configuration process. The cluster creation flow is flexible but simple for defining essential details like provider, region, and resources in one place.

elestio

PROJECT: default-project

- Services
- Clusters**
- CI/CD
- Volumes
- Load Balancer
- Domains
- Members
- Billing
- Project Setting
- Audit Trail

Current Clusters

Active Clusters



Start by Creating a cluster

Select your clusters, cloud provider, region, and other specs.

[+ Deploy my first cluster](#)

Now, select the database service of your choice that you need to create in a cluster environment. Click on **Select** button as you choose one.

Create Cluster

- Select service
- Select provider, region & service plan
- Select Support & advanced setting

- Databases
- Development
- Hosting & Infra
- All**

Search service by name



Filter Services



PostgreSQL

PostgreSQL is a powerful, open-source object-relational database system, known for reliability, data integrity and performance.



MySQL

MySQL is an Oracle-backed open-source RDBMS that runs on almost all platforms.



Redis

Redis is an open-source, in-memory database, cache and message broker.



Valkey

A flexible distributed key-value datastore that supports both caching and beyond caching workloads.



KeyDB

KeyDB is both your cache and database, for cloud-optimized solutions.



TimescaleDB

TimescaleDB is the leading open-source relational database with support for time-series data.



ClickHouse

ClickHouse is an open-source, column-oriented DBMS for online analytical processing.



Hydra

Hydra is an open-source alternative to enterprise data warehouses and it's simple, fast, and adaptable to your needs.

[Details](#)

[Select](#)



Keycloak

Keycloak is an open-source identity and access management solution aimed at modern applications and services.



rke2

RKE2, also known as RKE Government, is Rancher's next-generation Kubernetes distribution.











RabbitMQ

RabbitMQ is the most widely deployed open source message broker

During setup, you'll be asked to choose a hosting provider. Elestio supports both managed and BYOC (Bring Your Own Cloud) deployments, including AWS, DigitalOcean, Hetzner, and custom configurations. You can then select a region based on latency or compliance needs, and specify the number of nodes along with CPU, RAM, and disk sizes per node.

1. Select service — 2. Select provider, region & service plan — 3. Select Support & advanced setting

1. Select Service Cloud Provider



2. Select Service Cloud Region

Europe North America Asia

fsn1
Germany - Falkenstein

hel1
Finland - Helsinki

nbg1
Germany - Nuremberg

Service
Hydra

Provider
Hetzner Cloud

Region
Europe, Germany
Falkenstein

Plan
MEDIUM-2C-4G

- 2 CPU
- 4 GB RAM
- 40 GB Storage
- 20 TB Bandwidth
- No Volume
- No Snapshots
- 7 Remote Backups
- Intel Xeon
- Fully Managed

Support
Level1

Estimated Hourly Price*
\$0.0205

*Estimated monthly price is \$15 based on 730 hours of usage.

Next

If you're setting up a high-availability cluster, the dashboard also allows you to configure cluster-related details under **Cluster configuration**, where you get to select things like replication modes, number of replicas, etc. After you've configured the cluster, review the summary to ensure all settings are correct. Click the **Create Cluster** button to begin provisioning.

3. Advanced Configuration (Optional)

▼ Open Advanced Configuration

4. Cluster configuration (Optional)

i When a node is chosen, a certain number of virtual machines (VMs) are created, and the billing is based on the number of VMs created.

Replication mode:

Single Node Primary/Replica

Selected configuration

1 Primary Node

5. Select Service Support

i Paid support plans can be changed once a month.

Level 1 Support	Level 2 Support	Level 3 Support
<ul style="list-style-type: none"> ✓ 7 Days of remote backup retention ✓ No Service snapshot included ✓ Email support channel ✓ 3 days Response Time 	<ul style="list-style-type: none"> ✓ 14 Days of remote backup retention ✓ 2 Services snapshots included ✓ Email support channel ✓ 24h Response Time (business hours) 	<ul style="list-style-type: none"> ✓ 30 Days of remote backup retention ✓ 4 Services snapshots included ✓ Email & Phone supports channels ✓ 4h Response Time

Service
Hydra

Provider
Hetzner Cloud

Region
Europe, Germany
Falkenstein

Plan
MEDIUM-2C-4G

- 2 CPU
- 4 GB RAM
- 40 GB Storage
- 20 TB Bandwidth
- No Volume
- No Snapshots
- 7 Remote Backups
- Intel Xeon
- Fully Managed

Support
Level1

Estimated Hourly Price*
\$0.0205

*Estimated monthly price is \$15 based on 730 hours of usage.

Create Cluster

Copy Terraform Config

Elestio will start the deployment process, and within a few minutes, the cluster will appear in your dashboard. Once your cluster is live, it can be used to deploy new nodes and additional configurations. Each cluster supports real-time monitoring, log access, and scaling operations through the dashboard. You can also set up automated backups and access control through built-in features available in the cluster settings.

Revision #1

Created 2025-05-05 06:50:07 UTC

Updated 2025-05-05 07:09:32 UTC