

# How to Connect

- [Connecting with Node.js](#)
- [Connecting with Python](#)
- [Connecting with PHP](#)
- [Connecting with Go](#)
- [Connecting with Java](#)
- [Connecting with phpMyAdmin](#)
- [Connecting with mysql](#)

# Connecting with Node.js

This guide explains how to establish a connection between a Node.js application and a MySQL database using the `mysql2` package. It walks through the necessary setup, configuration, and execution of a simple SQL query.

## Variables

Certain parameters must be provided to establish a successful connection to a MySQL database. Below is a breakdown of each required variable, its purpose, and where to find it. Here’s what each variable represents:

Variable	Description	Purpose
USER	MySQL username, from the Elestio service overview page	Identifies the database user who has permission to access the MySQL database.
PASSWORD	MySQL password, from the Elestio service overview page	The authentication key is required for the specified USER to access the database.
HOST	Hostname for MySQL connection, from the Elestio service overview page	The address of the server hosting the MySQL database.
PORT	Port for MySQL connection, from the Elestio service overview page	The network port used to connect to MySQL. The default port is 3306.
DATABASE	Database Name for MySQL connection, from the Elestio service overview page	The name of the database being accessed. A MySQL instance can contain multiple databases.

These values can usually be found in the Elestio service overview details as shown in the image below, make sure to take a copy of these details and add it to the code moving ahead.



mysql-rpccp1

MySQL

Cluster

Running

Open terminal

Delete node

Overview

Tools

Metrics

Monitoring

Logs

Audit

Security

Alerts

Notes

Termination protection

Disabled. VM can be powered off and terminated.

Protection deactivated



Database Admin

Display your database credentials

Hide DB Credentials

Host	mysql-rpccp1-u7774.vm.elestio.app	
Port	24306	
User	root	
Password	*****	Show password
CLI	mysql --host=mysql-rpccp1-u7774.vm.elestio.app --port=24306 --user=root --password=*****	Show password

# Prerequisites

- **Install Node.js and NPM**

- Check if Node.js is installed by running: `node -v`
- If not installed, download it from [nodejs.org](https://nodejs.org) and install. Additionally, verify npm installation: `npm -v`

- **Install the mysql2 Package**

- The mysql2 package enables Node.js applications to interact with MySQL. Install it using: `npm install mysql2 --save`

# Code

Once all prerequisites are set up, create a new file named `mysql.js` and add the following code:

```
const mysql = require("mysql2");

// Database connection configuration
```

```
const config = {
  host: "HOST",
  user: "USER",
  password: "PASSWORD",
  database: "DATABASE",
  port: PORT,
};

// Create a MySQL connection
const connection = mysql.createConnection(config);

// Connect to the database
connection.connect((err) => {
  if (err) {
    console.error("Connection failed:", err);
    return;
  }
  console.log("Connected to MySQL");

  // Run a test query to check the MySQL version
  connection.query("SELECT VERSION() AS version", (err, results) => {
    if (err) {
      console.error("Query execution failed:", err);
      connection.end();
      return;
    }

    console.log("MySQL Version:", results[0]);

    // Close the database connection
    connection.end((err) => {
      if (err) console.error("Error closing connection:", err);
    });
  });
});
```

To execute the script, open the terminal or command prompt and navigate to the directory where `mysql.js` is located. Once in the correct directory, run the script with the command:

```
node mysql.js
```

If the connection is successful, the terminal will display output similar to:

```
Connected to MySQL
```

```
MySQL Version: { version: '8.0.41' }
```

# Connecting with Python

This guide explains how to establish a connection between a Python application and a MySQL database using the `mysql-connector-python` package. It walks through the necessary setup, configuration, and execution of a simple SQL query.

## Variables

Certain parameters must be provided to establish a successful connection to a MySQL database. Below is a breakdown of each required variable, its purpose, and where to find it. Here’s what each variable represents:

Variable	Description	Purpose
USER	MySQL username, from the Elestio service overview page	Identifies the database user who has permission to access the MySQL database.
PASSWORD	MySQL password, from the Elestio service overview page	The authentication key is required for the specified USER to access the database.
HOST	Hostname for MySQL connection, from the Elestio service overview page	The address of the server hosting the MySQL database.
PORT	Port for MySQL connection, from the Elestio service overview page	The network port used to connect to MySQL. The default port is 3306.
DATABASE	Database Name for MySQL connection, from the Elestio service overview page	The name of the database being accessed. A MySQL instance can contain multiple databases.

These values can usually be found in the Elestio service overview details as shown in the image below, make sure to take a copy of these details and add it to the code moving ahead.



mysql-rpccp1

MySQL

Cluster

Running

Open terminal

Delete node

Overview

Tools

Metrics

Monitoring

Logs

Audit

Security

Alerts

Notes

Termination protection

Disabled. VM can be powered off and terminated.

Protection deactivated



Database Admin

Display your database credentials

Hide DB Credentials

Host	mysql-rpccp1-u7774.vm.elestio.app	
Port	24306	
User	root	
Password	*****	Show password
CLI	mysql --host=mysql-rpccp1-u7774.vm.elestio.app --port=24306 --user=root --password=*****	Show password

# Prerequisites

## • Install Python

- Check if Python is installed by running: `python --version`
- If not installed, download it from [python.org](https://python.org) and install it.

## • Install the `mysql-connector-python` Package

- The `mysql-connector-python` package enables Python applications to interact with MySQL. Install it using: `pip install mysql-connector-python`

# Code

Once all prerequisites are set up, create a new file named `mysql_connect.py` and add the following code:

```
import mysql.connector

# Database connection configuration
config = {
```

```

"host": "HOST",
"user": "USER",
"password": "PASSWORD",
"database": "DATABASE",
"port": PORT
}

try:
    # Establish the connection
    connection = mysql.connector.connect(**config)
    print("Connected to MySQL")

    # Create a cursor and execute a test query
    cursor = connection.cursor()
    cursor.execute("SELECT VERSION()")

    # Fetch and print the result
    version = cursor.fetchone()
    print("MySQL Version:", version[0])

except mysql.connector.Error as err:
    print("Connection failed:", err)

finally:
    if 'cursor' in locals():
        cursor.close()
    if 'connection' in locals() and connection.is_connected():
        connection.close()
    print("Connection closed")

```

To execute the script, open the terminal or command prompt and navigate to the directory where `mysql_connect.py` is located. Once in the correct directory, run the script with the command:

```
python mysql_connect.py
```

If the connection is successful, the terminal will display output similar to:

```

Connected to MySQL
MySQL Version: 8.0.41
Connection closed

```



# Connecting with PHP

This guide explains how to establish a connection between a PHP application and a MySQL database using the mysqli extension. It walks through the necessary setup, configuration, and execution of a simple SQL query.

## Variables

Certain parameters must be provided to establish a successful connection to a MySQL database. Below is a breakdown of each required variable, its purpose, and where to find it. Here's what each variable represents:

Variable	Description	Purpose
USER	MySQL username, from the Elestio service overview page	Identifies the database user who has permission to access the MySQL database.
PASSWORD	MySQL password, from the Elestio service overview page	The authentication key is required for the specified USER to access the database.
HOST	Hostname for MySQL connection, from the Elestio service overview page	The address of the server hosting the MySQL database.
PORT	Port for MySQL connection, from the Elestio service overview page	The network port used to connect to MySQL. The default port is 3306.
DATABASE	Database Name for MySQL connection, from the Elestio service overview page	The name of the database being accessed. A MySQL instance can contain multiple databases.

These values can usually be found in the Elestio service overview details as shown in the image below, make sure to take a copy of these details and add it to the code moving ahead.



mysql-rpccp1

MySQL

Cluster

Running

Open terminal

Delete node

Overview

Tools

Metrics

Monitoring

Logs

Audit

Security

Alerts

Notes

Termination protection

Disabled. VM can be powered off and terminated.

Protection deactivated



Database Admin

Display your database credentials

Hide DB Credentials

Host	mysql-rpccp1-u7774.vm.elestio.app	
Port	24306	
User	root	
Password	*****	Show password
CLI	mysql --host=mysql-rpccp1-u7774.vm.elestio.app --port=24306 --user=root --password=*****	Show password

# Prerequisites

## • Install PHP

- Check if PHP is installed by running: `php -v`
- If not installed, download it from [php.net](https://www.php.net) and install.
- Make sure the mysqli extension is enabled in your php.ini configuration.

# Code

Once all prerequisites are set up, create a new file named `mysql_connect.php` and add the following code:

```
<?php
$host = "HOST";
$user = "USER";
$password = "PASSWORD";
$database = "DATABASE";
$port = PORT;
```

```
// Create connection
$conn = new mysqli($host, $user, $password, $database, $port);

// Check connection
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}
echo "Connected to MySQL<br>";

// Run a test query to check the MySQL version
$result = $conn->query("SELECT VERSION()");

if ($result) {
    $row = $result->fetch_assoc();
    echo "MySQL Version: " . $row["VERSION()"];
    $result->free();
} else {
    echo "Query execution failed: " . $conn->error;
}

// Close connection
$conn->close();
?>
```

To execute the script, run the PHP server in the directory where `mysql_connect.php` is located using:

```
php -S localhost:8000
```

Then, open a browser and go to:

```
http://localhost:8000/mysql_connect.php
```

If the connection is successful, the browser will display output similar to:

```
Connected to MySQL
MySQL Version: 8.0.36
```

# Connecting with Go

This guide explains how to establish a connection between a Go application and a MySQL database using the `go-sql-driver/mysql` package. It walks through the necessary setup, configuration, and execution of a simple SQL query.

## Variables

Certain parameters must be provided to establish a successful connection to a MySQL database. Below is a breakdown of each required variable, its purpose, and where to find it. Here’s what each variable represents:

Variable	Description	Purpose
USER	MySQL username, from the Elestio service overview page	Identifies the database user who has permission to access the MySQL database.
PASSWORD	MySQL password, from the Elestio service overview page	The authentication key is required for the specified USER to access the database.
HOST	Hostname for MySQL connection, from the Elestio service overview page	The address of the server hosting the MySQL database.
PORT	Port for MySQL connection, from the Elestio service overview page	The network port used to connect to MySQL. The default port is 3306.
DATABASE	Database Name for MySQL connection, from the Elestio service overview page	The name of the database being accessed. A MySQL instance can contain multiple databases.

These values can usually be found in the Elestio service overview details, as shown in the image below. Make sure to take a copy of these details and add them to the code moving ahead.



mysql-rpccp1

MySQL

Cluster

Running

Open terminal

Delete node

Overview

Tools

Metrics

Monitoring

Logs

Audit

Security

Alerts

Notes

Termination protection

Disabled. VM can be powered off and terminated.

Protection deactivated



Database Admin

Display your database credentials

Hide DB Credentials

Host	mysql-rpccp1-u7774.vm.elestio.app	
Port	24306	
User	root	
Password	*****	Show password
CLI	mysql --host=mysql-rpccp1-u7774.vm.elestio.app --port=24306 --user=root --password=*****	Show password

# Prerequisites

## • Install Go

- Check if Go is installed by running: `go version`
- If not installed, download it from [golang.org](https://golang.org) and install.

## • Install the MySQL Driver

- Use the following command to install the go-sql-driver/mysql driver: `go get -u github.com/go-sql-driver/mysql`

# Code

Once all prerequisites are set up, create a new file named `mysql_connect.go` and add the following code:

```
package main

import (
    "database/sql"
```

```

    "fmt"
    "log"

    "github.com/go-sql-driver/mysql"
)

func main() {
    user := "USER"
    password := "PASSWORD"
    host := "HOST"
    port := "PORT"
    database := "DATABASE"

    // Construct DSN (Data Source Name)
    dsn := fmt.Sprintf("%s:%s@tcp(%s:%s)/%s", user, password, host, port, database)

    // Open a connection
    db, err := sql.Open("mysql", dsn)
    if err != nil {
        log.Fatalf("Connection failed: %v", err)
    }
    defer db.Close()

    // Ping to verify connection
    if err := db.Ping(); err != nil {
        log.Fatalf("Ping failed: %v", err)
    }
    fmt.Println("Connected to MySQL")

    // Run a test query to check the MySQL version
    var version string
    err = db.QueryRow("SELECT VERSION()").Scan(&version)
    if err != nil {
        log.Fatalf("Query execution failed: %v", err)
    }
    fmt.Printf("MySQL Version: %s\n", version)
}

```

To execute the script, open the terminal and navigate to the directory where `mysql_connect.go` is located. Once in the correct directory, run the script with the commands:

```
go mod init example.com/mysqlconnect  
go run mysql_connect.go
```

If the connection is successful, the terminal will display output similar to:

```
Connected to MySQL  
MySQL Version: 8.0.36
```

# Connecting with Java

This guide explains how to establish a connection between a Java application and a MySQL database using the `mysql-connector-j` JDBC driver. It walks through the necessary setup, configuration, and execution of a simple SQL query.

## Variables

Certain parameters must be provided to establish a successful connection to a MySQL database. Below is a breakdown of each required variable, its purpose, and where to find it. Here’s what each variable represents:

Variable	Description	Purpose
<code>USER</code>	MySQL username, from the Elestio service overview page	Identifies the database user who has permission to access the MySQL database.
<code>PASSWORD</code>	MySQL password, from the Elestio service overview page	The authentication key is required for the specified USER to access the database.
<code>HOST</code>	Hostname for MySQL connection, from the Elestio service overview page	The address of the server hosting the MySQL database.
<code>PORT</code>	Port for MySQL connection, from the Elestio service overview page	The network port used to connect to MySQL. The default port is 3306.
<code>DATABASE</code>	Database Name for MySQL connection, from the Elestio service overview page	The name of the database being accessed. A MySQL instance can contain multiple databases.

These values can usually be found in the Elestio service overview details as shown in the image below, make sure to take a copy of these details and add it to the code moving ahead.





mysql-rpccp1

MySQL

Cluster

Running

Open terminal

Delete node

Overview

Tools

Metrics

Monitoring

Logs

Audit

Security

Alerts

Notes

Termination protection

Disabled. VM can be powered off and terminated.

Protection deactivated



Database Admin

Display your database credentials

Hide DB Credentials

Host	mysql-rpccp1-u7774.vm.elesto.app	
Port	24306	
User	root	
Password	*****	Show password
CLI	mysql --host=mysql-rpccp1-u7774.vm.elesto.app --port=24306 --user=root --password=*****	Show password

# Prerequisites

## • Install Java

- Check if Java is installed by running: `java -version`.
- If not installed, download it from [oracle.com](https://www.oracle.com) or install OpenJDK.

## • Install MySQL Connector/J

- Download the latest version `mysql-connector-j` from the [official MySQL site](https://dev.mysql.com/doc/connector-j/8.0/en/mysql-connector-j-8-0-download.html).

# Code

Once all prerequisites are set up, create a new file named `MySQLConnect.java` and add the following code:

```
import java.sql.*;
import java.util.*;

public class MySQLConnect {
```

```

public static void main(String[] args) {
    Map<String, String> config = new HashMap<>();
    for (int i = 0; i < args.length - 1; i += 2)
        config.put(args[i], args[i + 1]);

    String url = String.format("jdbc:mysql://%s:%s/%s?useSSL=true",
        config.get("-host"), config.get("-port"), config.get("-database"));

    try {
        Class.forName("com.mysql.cj.jdbc.Driver");
        try (Connection conn = DriverManager.getConnection(url, config.get("-username"), config.get("-password"))) {
            Statement stmt = conn.createStatement();
            ResultSet rs = stmt.executeQuery("SELECT VERSION()") {
                System.out.println("Connected to MySQL");
                if (rs.next()) System.out.println("MySQL Version: " + rs.getString(1));
            }
        } catch (Exception e) {
            System.err.println("Connection error: " + e.getMessage());
        }
    }
}

```

To compile and run the Java program, use the following commands in your terminal:

```

javac MySQLConnect.java && java -cp mysql-connector-j-9.3.0.jar:. MySQLConnect -host HOST -port PORT -database DATABASE -username avnadmin -password PASSWORD

```

If the connection is successful, the terminal will display output similar to:

```

Connected to MySQL
MySQL Version: 8.0.41

```

# Connecting with phpMyAdmin

phpMyAdmin is a widely used web-based interface for MySQL that allows you to manage databases, run SQL queries, and administer users through a graphical interface.

## Variables

To connect using phpMyAdmin, you'll need the following connection parameters. When you deploy a MySQL service on Elestio, you also get a phpMyAdmin dashboard configured for you to use with these variables. These details are available in the Elestio service overview page:

Variable	Description	Purpose
<b>USER</b>	phpMyAdmin username	Identifies the database user.
<b>PASSWORD</b>	phpMyAdmin password	Authentication key for the <code>USER</code> .

You can find these values in your Elestio project dashboard under the Admin section.


**Admin** Display your software credentials Hide Admin UI

Admin UI

<https://mysql-320dd1-u7774.vm.elestio.app:24580/>


User

root



Password

\*\*\*\*\*

Show password 

## Prerequisites


Make sure the MySQL service is correctly deployed on Elestio and you are able to access the Admin section where phpMyAdmin is listed, similar to the example shown in the image above.

# Setting Up the Connection

Launch phpMyAdmin using the Admin UI URL and log in with the credentials acquired from the Elestio service dashboard. Once the login screen is loaded, enter the following:

- **Username:** USER
- **Password:** PASSWORD

Click on **Go** to access the phpMyAdmin interface.



Once logged in, you can see your available databases listed in the left panel. From here, you can:

- Run SQL queries through the **SQL** tab

Databases
SQL
Status
User accounts
Export
Import
Settings
Binary log
Replication
More

Run SQL query/queries on server "mysql":

1

Clear
Format
Get auto-saved query

☐ Bind parameters

Delimiter: ;
☐ Show this query here again
☐ Retain query box
☐ Rollback when finished
☒ Enable foreign key checks
Go

- View or modify table structures

Table name:  Add  column(s)

Structure								
Name	Type	Length/Values	Default	Collation	Attributes	Null	Index	
<input type="text"/>	INT	<input type="text"/>	None			<input type="checkbox"/>	---	
<input type="text"/>	INT	<input type="text"/>	None			<input type="checkbox"/>	---	
<input type="text"/>	INT	<input type="text"/>	None			<input type="checkbox"/>	---	
<input type="text"/>	INT	<input type="text"/>	None			<input type="checkbox"/>	---	

Table comments: 
Collation: 
Storage Engine: InnoDB

PARTITION definition:

Partition by:  (  )

Partitions:

Preview SQL
Save

- Export or import database backups

### Import

☒ Import from file

Browse your computer:  No file chosen

☐ Import from browser's storage

Settings will be imported from your browser's local storage.

⚠ You have no saved settings!

☐ Merge with current configuration

### Export

☒ Save as JSON file

☐ Save as PHP file

☐ Save to browser's storage

Settings will be saved in your browser's local storage.

### Reset

You can reset all your settings and restore them to default values.

- Manage users and privileges if applicable
- Edit privileges: User account 'root'@'localhost'

Global privileges
☒ Check all

Note: MySQL privilege names are expressed in English.

☒ Data

- ☒ SELECT
- ☒ INSERT
- ☒ UPDATE
- ☒ DELETE
- ☒ FILE

☒ Structure

- ☒ CREATE
- ☒ ALTER
- ☒ INDEX
- ☒ DROP
- ☒ CREATE TEMPORARY TABLES
- ☒ SHOW VIEW
- ☒ CREATE ROUTINE
- ☒ ALTER ROUTINE
- ☒ EXECUTE
- ☒ CREATE VIEW
- ☒ EVENT
- ☒ TRIGGER

☒ Administration

- ☒ GRANT
- ☒ SUPER
- ☒ PROCESS
- ☒ RELOAD
- ☒ SHUTDOWN
- ☒ SHOW DATABASES
- ☒ LOCK TABLES
- ☒ REFERENCES
- ☒ REPLICATION CLIENT
- ☒ REPLICATION SLAVE
- ☒ CREATE USER

☐ Resource limits

Note: Setting these options to 0 (zero) removes the limit.

MAX QUERIES PER HOUR

MAX UPDATES PER HOUR

MAX CONNECTIONS PER HOUR

MAX USER\_CONNECTIONS

☐ SSL

- ☒ REQUIRE NONE
- ☐ REQUIRE SSL
- ☐ REQUIRE X509
- ☐ SPECIFIED

REQUIRE CIPHER

REQUIRE ISSUER

REQUIRE SUBJECT

# Connecting with mysql

This guide explains how to connect to a MySQL database using the `mysql` command-line tool. It walks through the necessary setup, connection process, and execution of a simple SQL query.

## Variables

To connect to a MySQL database, you will need the following individual connection parameters. These are available on the Elestio service overview page:

Variable	Description	Purpose
<code>USER</code>	MySQL username	Identifies the database user.
<code>PASSWORD</code>	MySQL password	Authenticates the user.
<code>HOST</code>	MySQL host address	Endpoint to connect to the database service.
<code>PORT</code>	MySQL port number	Default is usually 3306, unless otherwise configured.
<code>DATABASE</code>	Database name	The specific database you want to connect to.

You can find all of these values in your Elestio project dashboard under the **Admin** or **Database Info** section.

## Prerequisites

Make sure the MySQL client is installed on your local system. If not, download and install it from:

<https://dev.mysql.com/downloads/>

## Connecting to MySQL

Open your terminal and run the following command to connect to the MySQL database using the values you copied from your Elestio service:

```
mysql -h HOST -P PORT -u USER -p DATABASE
```

- Replace `HOST`, `PORT`, `USER`, and `DATABASE` with the actual values.

- After running the command, you will be prompted to enter the `PASSWORD`.

If the connection is successful, you will see output similar to this:

```
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 18
Server version: 8.0.34 MySQL Community Server - GPL

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql>
```

## Verifying the Connection

To ensure you're connected correctly, run the following command in the MySQL prompt:

```
SELECT VERSION();
```

You should see output like this:

```
+-----+
| version() |
+-----+
| 8.0.34   |
+-----+
1 row in set (0.00 sec)
```

This confirms that your connection to the Elestio-hosted MySQL service is working correctly.