

Connecting with PHP

This guide explains how to establish a connection between a PHP application and a MySQL database using the mysqli extension. It walks through the necessary setup, configuration, and execution of a simple SQL query.

Variables

Certain parameters must be provided to establish a successful connection to a MySQL database. Below is a breakdown of each required variable, its purpose, and where to find it. Here’s what each variable represents:

Variable	Description	Purpose
USER	MySQL username, from the Elestio service overview page	Identifies the database user who has permission to access the MySQL database.
PASSWORD	MySQL password, from the Elestio service overview page	The authentication key is required for the specified USER to access the database.
HOST	Hostname for MySQL connection, from the Elestio service overview page	The address of the server hosting the MySQL database.
PORT	Port for MySQL connection, from the Elestio service overview page	The network port used to connect to MySQL. The default port is 3306.
DATABASE	Database Name for MySQL connection, from the Elestio service overview page	The name of the database being accessed. A MySQL instance can contain multiple databases.

These values can usually be found in the Elestio service overview details as shown in the image below, make sure to take a copy of these details and add it to the code moving ahead.



mysql-rpccp1

MySQL

Cluster

Running

Open terminal

Delete node

Overview

Tools

Metrics

Monitoring

Logs

Audit

Security

Alerts

Notes

Termination protection

Disabled. VM can be powered off and terminated.

Protection deactivated



Database Admin

Display your database credentials

Hide DB Credentials

Host	mysql-rpccp1-u7774.vm.elestio.app	
Port	24306	
User	root	
Password	*****	Show password
CLI	mysql --host=mysql-rpccp1-u7774.vm.elestio.app --port=24306 --user=root --password=*****	Show password

Prerequisites

• Install PHP

- Check if PHP is installed by running: `php -v`
- If not installed, download it from [php.net](https://www.php.net) and install.
- Make sure the mysqli extension is enabled in your php.ini configuration.

Code

Once all prerequisites are set up, create a new file named `mysql_connect.php` and add the following code:

```
<?php
$host = "HOST";
$user = "USER";
$password = "PASSWORD";
$database = "DATABASE";
$port = PORT;

// Create connection
```

```
$conn = new mysqli($host, $user, $password, $database, $port);

// Check connection
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}
echo "Connected to MySQL<br>";

// Run a test query to check the MySQL version
$result = $conn->query("SELECT VERSION()");

if ($result) {
    $row = $result->fetch_assoc();
    echo "MySQL Version: " . $row["VERSION()"];
    $result->free();
} else {
    echo "Query execution failed: " . $conn->error;
}

// Close connection
$conn->close();
?>
```

To execute the script, run the PHP server in the directory where `mysql_connect.php` is located using:

```
php -S localhost:8000
```

Then, open a browser and go to:

```
http://localhost:8000/mysql_connect.php
```

If the connection is successful, the browser will display output similar to:

```
Connected to MySQL
MySQL Version: 8.0.36
```

Revision #2

Created 15 April 2025 08:57:41 by kaiwalya

Updated 15 April 2025 10:17:04 by kaiwalya