

Cluster Resynchronization

In distributed systems, consistency and synchronization between nodes are critical to ensure that services behave reliably and that data remains accurate across the cluster. Elestio provides built-in mechanisms to detect and resolve inconsistencies across nodes using a feature called **Cluster Resynchronization**. This functionality ensures that node-level configurations, data replication, and service states are properly aligned, especially after issues like node recovery, temporary network splits, or service restarts.

Need for Cluster Resynchronization

Resynchronization is typically required when secondary nodes in a cluster are no longer consistent with the primary node. This can happen due to temporary network failures, node restarts, replication lag, or partial service interruptions. In such cases, secondary nodes may fall behind or store incomplete datasets, which could lead to incorrect behavior if a failover occurs or if read operations are directed to those nodes. Unresolved inconsistencies can result in data divergence, serving outdated content, or failing health checks in load-balanced environments. Performing a resynchronization ensures that all secondary nodes are forcibly aligned with the current state of the primary node, restoring a clean and unified cluster state.

It may also be necessary to perform a resync after restoring a service from backup, during infrastructure migrations, or after recovering a previously offline node. In each of these cases, resynchronization acts as a corrective mechanism to ensure that every node is operating with the same configuration and dataset, reducing the risk of drift and maintaining data integrity across the cluster.

Cluster Resynchronization

To perform a resynchronization, start by accessing the [Elestio dashboard](#) and navigating to the **Clusters** section. Select the cluster where synchronization is needed. On the **Cluster Overview** page, scroll down slightly until you find the **“Resync Cluster”** option. This option is visible as part of the cluster controls and is available only in clusters with multiple nodes and a defined primary node.



postgresql-k0hdl

PostgreSQL

Cluster

Running

Open terminal

Delete cluster

Add node

Overview

Nodes

Backups

Audit

Termination protection

Disabled. VM can be powered off and terminated.

Protection deactivated



Auto-Failover

Enabled. In case of failure, the cluster will automatically attempt to recover

Auto-Failover activated



Nodes

2 Nodes: 1 Primary, 1 Replica

Add node

Database Admin

Display your database credentials

Display DB Credentials

Support plan

Level1

Upgrade plan

Resync Cluster

Resync cluster on all nodes.

Resync Cluster

Clicking the **Resync** button opens a confirmation dialog. The message clearly explains that this action will initiate a request to resynchronize **all secondary nodes**. During the resync process, **existing data on all secondary nodes will be erased and replaced with a copy of the data from the primary node**. This operation ensures full consistency across the cluster but should be executed with caution, especially if recent changes exist on any of the secondaries that haven't yet been replicated.

Resync Cluster



These actions will submit a request to resync all secondary nodes, and you will be alerted via email when request is finished.

NOTE Replication will erase existing data on all secondary nodes and replace it with a copy of the primary node.

Cancel

Resync

You will receive an email notification once the resynchronization is complete. During this process, Elestio manages the replication safely, but depending on the size of the data, the operation may take a few minutes. It's advised to avoid making further changes to the cluster while the resync is in progress.

Considerations Before Resynchronizing

- Before triggering a resync, it's important to verify that the primary node holds the desired state and that the secondary nodes do not contain any critical unsynced data. Since the resync **overwrites** the secondary nodes completely, any local changes on those nodes will be lost.
- This action is best used when you're confident that the primary node is healthy, current, and stable. Avoid initiating a resync if the primary has recently experienced errors or data issues. Additionally, consider performing this operation during a low-traffic period, as synchronization may temporarily impact performance depending on the data volume.
- If your application requires high consistency guarantees, it's recommended to monitor your cluster closely during and after the resync to confirm that services are functioning correctly and that the replication process completed successfully.

Revision #1

Created 2025-04-11 14:09:19 UTC by kaiwalya

Updated 2025-04-11 14:18:50 UTC by kaiwalya