

Adding a Node

As your application usage grows or your infrastructure requirements change, scaling your cluster becomes essential. In Elestio, you can scale horizontally by adding new nodes to an existing cluster. This operation allows you to expand your compute capacity, improve availability, and distribute workloads more effectively.

Need to Add a Node

There are several scenarios where adding a node becomes necessary. One of the most common cases is **resource saturation** when existing nodes are fully utilized in terms of CPU, memory, or disk. Adding another node helps distribute the workload and maintain performance under load.


In clusters that run **stateful services** or require **high availability**, having additional nodes ensures that workloads can fail over without downtime. Even in development environments, nodes can be added to isolate environments or test services under production-like load conditions. Scaling out also gives you flexibility when deploying services with different resource profiles or placement requirements.

Add a Node to Cluster

To begin, log in to the [Elestio dashboard](#) and navigate to the **Clusters** section from the sidebar. Select the cluster you want to scale. Once inside the cluster view, switch to the **Nodes** tab. This section provides an overview of all current nodes along with their health status and real-time resource usage.


The screenshot displays the Elestio dashboard interface for a cluster named 'timescaledb-gi7jy'. At the top, there is a cluster header with a tiger icon, the cluster name, and several status indicators: 'TimescaleDB', 'Cluster', and 'Running' (with a green checkmark). To the right of the header are buttons for 'Open terminal', 'Delete cluster', and 'Add node'. Below the header is a navigation bar with tabs for 'Overview', 'Nodes' (which is highlighted), 'Backups', and 'Audit'. The main content area shows a list of nodes. The first node is 'timescaledb-gi7jy1', which is the 'Primary' node. Its status is 'Node is running' (indicated by a green dot). The node's specifications are 'MEDIUM-2C-4G' (2 CPUs / 4 GB RAM / 40 GB storage). The node is located in 'Hetzner Germany, Falkenstein, hetzner' and was last updated 'an hour ago'.

To add a new node, click the **“Add Node”** button. This opens a configuration panel where you can define the specifications for the new node. You’ll be asked to specify the amount of **CPU, memory,** and **disk** you want to allocate. If you’re using a bring-your-own-cloud setup, you may also need to confirm or choose the cloud provider and deployment region.



The screenshot shows the TimescaleDB cluster management interface for a cluster named 'timescaledb-gi7jy'. At the top, there are tabs for 'TimescaleDB' and 'Cluster', and a 'Running' status indicator. To the right, there are buttons for 'Open terminal', 'Delete cluster', and 'Add node'. The 'Add node' button is highlighted with a red box. Below the navigation bar, there are tabs for 'Overview', 'Nodes', 'Backups', and 'Audit'. The 'Nodes' tab is selected and highlighted with a red box. The main content area shows a list of nodes. The first node is 'timescaledb-gi7jy1 Primary', which is 'Node is running' and has specifications 'MEDIUM-2C-4G' (2 CPUs / 4 GB RAM / 40 GB storage) on 'Hetzner' (Germany, Falkenstein, hetzner) cloud provider, provisioned 'an hour ago'.

After configuring the node, review the settings to ensure they meet your performance and cost requirements. Click **“Create”** to initiate provisioning. Elestio will begin setting up the new node, and once it’s ready, it will automatically join your cluster.



The screenshot shows the TimescaleDB cluster management interface for the same cluster 'timescaledb-gi7jy'. The 'Add node' button is now visible in the top right corner. The 'Nodes' tab is selected. The main content area shows a list of nodes. The first node is 'timescaledb-gi7jy1 Primary', which is 'Node is running' and has specifications 'MEDIUM-2C-4G' (2 CPUs / 4 GB RAM / 40 GB storage) on 'Hetzner' (Germany, Falkenstein, hetzner) cloud provider, provisioned 'an hour ago'. The second node is 'timescaledb-gi7jy2 Replica', which is 'Node is running' and has specifications 'SMALL-2C-2G-CPX' (2 CPUs / 2 GB RAM / 40 GB storage) on 'Hetzner' (Singapore, Singapore, hetzner) cloud provider, provisioned 'a few seconds ago'. This second node is highlighted with a red box and has 'Promote' and 'Delete' buttons next to it.

Once provisioned, the new node will appear in the node list with its own metrics and status indicators. You can monitor its activity, verify that workloads are being scheduled to it, and access its logs directly from the dashboard. From this point onward, the node behaves like any other in the cluster and can be managed using the same lifecycle actions such as rebooting or draining.

Post-Provisioning Considerations

After the node has been added, it becomes part of the active cluster and is available for scheduling workloads. Elestio's orchestration layer will begin using it automatically, but you can further customize service placement through resource constraints or affinity rules if needed.

For performance monitoring, the dashboard provides per-node metrics, including CPU load, memory usage, and disk I/O. This visibility helps you confirm that the new node is functioning correctly and contributing to workload distribution as expected.

Maintenance actions such as draining or rebooting the node are also available from the same interface, making it easy to manage the node lifecycle after provisioning.

Revision #1

Created 2025-05-12 07:37:49 UTC

Updated 2025-05-12 07:45:53 UTC