

Connecting with Java

This guide shows how to connect your Java app to a **TimescaleDB database** using the [PostgreSQL JDBC driver](#), parse command-line arguments, and run a basic query.

Variables

To connect to a TimescaleDB database, the following parameters are required. You can find these details in the **Elestio service overview page** of your TimescaleDB service.

Variable	Description	Purpose
<code>USER</code>	TimescaleDB (PostgreSQL) username	Identifies the database user with access privileges
<code>PASSWORD</code>	TimescaleDB password	Authenticates the user against the TimescaleDB database
<code>HOST</code>	Hostname of the TimescaleDB instance	Specifies the server address of the database
<code>PORT</code>	Port for TimescaleDB (usually 5432)	Specifies the network port for connections
<code>DATABASE</code>	Name of the TimescaleDB database	Specifies which database to access

These values can usually be found in the Elestio service overview details as shown in the image below, make sure to take a copy of these details and add it to the code moving ahead.



timescaledb-gi7jy

TimescaleDB

Cluster

Running

Open terminal

Delete cluster

Add node

Overview

Nodes

Backups

Audit

Termination protection

Disabled. VM can be powered off and terminated.

Protection deactivated



Auto-Failover

Enabled. In case of failure, the cluster will automatically attempt to recover

Auto-Failover activated



Node

1 Primary Node

Database Admin

Display your database credentials

Hide DB Credentials

Host timescaledb-gi7jy-u7774.vm.elestialio.app



Port 25432



User postgres



Password *****

Show password



CLI PGPASSWORD=***** psql --host=timescaledb-gi7jy-u7774.vm.elestialio.app --port=25432 --username=postgres

Show password



Prerequisites

Install Java & JDBC driver

Check if Java is installed by running:

```
java -version
```

If not installed, install it first and then download and install **JDBC** driver from

<https://jdbc.postgresql.org/download/> or if you have Maven installed, run the following command with updated version of the driver:

```
mvn org.apache.maven.plugins:maven-dependency-plugin:2.8:get \
-Dartifact=org.postgresql:postgresql:42.7.5:jar \
-Ddest=postgresql-42.7.5.jar
```

Code

Once all prerequisites are set up, create a new file named `TDB.java` and add the following code:

```
import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.ResultSet;
import java.sql.SQLException;
import java.sql.Statement;
import java.util.HashMap;
import java.util.Map;

public class TDB {

    static class Config {
        String host, port, database, username, password;

        Config(String host, String port, String database, String username, String password) {
            this.host = host;
            this.port = port;
            this.database = database;
            this.username = username;
            this.password = password;
        }

        String getJdbcUrl() {
            return String.format("jdbc:postgresql://%s:%s/%s?sslmode=require", host, port,
database);
        }

        boolean isComplete() {
            return host != null && port != null && database != null && username != null &&
password != null;
        }
    }

    static Map<String, String> parseArgs(String[] args) {
        Map<String, String> map = new HashMap<>();
        for (int i = 0; i < args.length - 1; i += 2) {
            map.put(args[i], args[i + 1]);
        }
        return map;
    }
}
```

```

}

public static void main(String[] args) {
    try {
        Class.forName("org.postgresql.Driver");

        Map<String, String> argMap = parseArgs(args);
        Config cfg = new Config(
            argMap.get("-host"),
            argMap.get("-port"),
            argMap.get("-database"),
            argMap.get("-username"),
            argMap.get("-password")
        );

        if (!cfg.isComplete()) {
            System.err.println("Missing required arguments. Example usage:");
            System.err.println("java -cp postgresql-42.7.5.jar:. TDB -host <HOST> -port
<PORT> -database <DB> -username <USER> -password <PASS>");
            return;
        }

        try (Connection conn = DriverManager.getConnection(cfg.getJdbcUrl(), cfg.username,
cfg.password)) {
            System.out.println("Connected to TimescaleDB database successfully.");

            Statement stmt = conn.createStatement();
            ResultSet rs = stmt.executeQuery("SELECT current_database(), current_user,
version()");

            while (rs.next()) {
                System.out.println("Database: " + rs.getString(1));
                System.out.println("User: " + rs.getString(2));
                System.out.println("Version: " + rs.getString(3));
            }

            rs.close();
            stmt.close();
        }
    }
}

```

```
    } catch (ClassNotFoundException e) {
        System.err.println("PostgreSQL JDBC driver not found.");
        e.printStackTrace();
    } catch (SQLException e) {
        System.err.println("Connection or query error:");
        e.printStackTrace();
    }
}
}
```

To execute the script, open the terminal or command prompt and navigate to the directory where `TDB.java`. Once in the correct directory, run the script with the command (Update the variables with actual values acquired from previous steps).

```
javac TDB.java
```

```
java -cp postgresql-42.7.5.jar:. TDB -host HOST -port PORT -database DATABASE -username
USERNAME -password PASSWORD
```

If the connection is successful, the terminal will display output similar to:

```
Connected to TimescaleDB database successfully.
Database: elestio
User: postgres
Version: PostgreSQL 14.13 (Debian 14.13-1.pgdg120+1) on x86_64-pc-linux-gnu, compiled by gcc
(Debian 12.2.0-14) 12.2.0, 64-bit
```

Revision #2

Created 2025-05-13 07:35:13 UTC by kaiwalya

Updated 2025-05-13 07:37:43 UTC by kaiwalya